
FIG. 1



2/18

FIG. 2A

TRANSMISSION OF OC-12C PPP PACKET


ITEMS	VALUE		IP DATA FLUCTUATION	TOTAL TRANSFER TIME(\(\mu \) S)
OC-12C TRANSFER TIME	1.6		1	0.36
PPP + FIXED PART OF IP HEADER (bytes)	27		2	0.37
IP DATA FLUCTUATION (bytes)	n		3	0.39
			4	0.40
TOTAL TRANSFER TIME = (n + PPP + FIXED PAR	RT OF IP) * OC-1	2C TRANSFER	~	~
			10	0.48
·			~	~
			64	1.17
			~	~
			128	1.99
			~	~
			1024	13.52
			~	~
			1500	19.64


FIG. 2B


TRANSMISSION OF OC-192C PPP PACKET

ITEMS	VALUE		IP DATA FLUCTUATION	TOTAL TRANSFER TIME(μS)
OC-192C TRANSFER TIME(ns)	0.1		1.	0.02
PPP + FIXED PART OF IP HEADER (bytes)	27		2	0.02
IP DATA FLUCTUATION (bytes)	, n	,	3	0.02
			4	0.02
TOTAL TRANSFER TIME = (n + PPP + FIXED PAR	TOTAL TRANSFER TIME = (n + PPP + FIXED PART OF IP) * OC-192C TRANSFER			
			10	0.03
			~	~
			64	0.07
			~	~
			128	0.12
			~	~
			1024	0.84
			~	~
			1500	1.23


FIG. 3








F/G. 6





DS767302 C12301

8/18

FIG. 8





FIG. 11

RAM CELL WIDTH (bytes)		1	1
RAM CELL WORD COUNT	у	1,000	16,384
KEY DATA WIDTH (bytes)	k	4	16
ASSOCIATIVE DATA WIDTH (bytes)	r	2	2
TOTAL ENTRY COUNT		ļ	1
e=y/(k+r)	=	167	910



19767302 "Otenation" of VI

10/18

FIG. 10






FIG. 12



DEFERRE BIETOI

FIG. 13



LINE(OC-xx, ETHERNET)

FIG. 14





FIG. 15 PRIOR ART



15/18

FIG. 16 PRIOR ART






FIG. 17 PRIOR ART



16/18

FIG. 18 PRIOR ART



LINE(OC-xx, ETHERNET)

FIG. 19 PRIOR ART




FIG. 20 PRIOR ART

